





# ASILIR TARLA PÜLVERİZATÖRLERİ STANDART MODEL

## MOUNTED TYPE BOOM SPRAYERS STANDARD MODEL



| ÜRÜN<br>KODU<br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br>TANK<br>CAPACITY | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL<br>ÜNİTESİ<br>CONTROL<br>UNIT | KANAT ÖZELLİKLERİ<br>BOOM SPECIFICATIONS |                           |                                |                    | ÖLÇÜ<br>HP |
|---------------------------------|----------------------------------------|------------------------------------------|------------------|--------------|----------------|--------------------|---------------------------------------|------------------------------------------|---------------------------|--------------------------------|--------------------|------------|
|                                 |                                        | MODEL<br>MODEL                           | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                       | KANAT UZUNLUĞU<br>BOOM LENGTH            | AÇMA / KAPAMA<br>ON / OFF | YÜKSEKLİK AYARI<br>HEIGHT ADJ. | ENJEKTÖR<br>NOZZLE |            |
| ATS-200-6                       | 200 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                             | 6 Mt.                                    | Manuel / Manual           | Manuel / Manual                | 12                 | 25         |
| ATS-200-8                       | 200 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                             | 8 Mt.                                    | Manuel / Manual           | Manuel / Manual                | 16                 | 25         |
| ATS-300-6                       | 300 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                             | 6 Mt.                                    | Manuel / Manual           | Manuel / Manual                | 12                 | 25         |
| ATS-300-8                       | 300 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                             | 8 Mt.                                    | Manuel / Manual           | Manuel / Manual                | 16                 | 25         |
| ATS-400-6                       | 400 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                             | 6 Mt.                                    | Manuel / Manual           | Manuel / Manual                | 12                 | 35         |
| ATS-400-8                       | 400 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                             | 8 Mt.                                    | Manuel / Manual           | Manuel / Manual                | 16                 | 35         |
| ATS-400-10                      | 400 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                             | 10 Mt.                                   | Manuel / Manual           | Manuel / Manual                | 20                 | 35         |
| ATS-400-12                      | 400 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                             | 12 Mt.                                   | Manuel / Manual           | Manuel / Manual                | 24                 | 35         |
| ATS-500-10                      | 500 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                             | 10 Mt.                                   | Manuel / Manual           | Manuel / Manual                | 20                 | 35         |
| ATS-500-12                      | 500 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                             | 12 Mt.                                   | Manuel / Manual           | Manuel / Manual                | 24                 | 35         |
| ATS-600-10                      | 600 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                             | 10 Mt.                                   | Manuel / Manual           | Manuel / Manual                | 20                 | 35         |
| ATS-600-12                      | 600 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 12 Mt.                                   | Manuel / Manual           | Manuel / Manual                | 24                 | 35         |
| ATS-800-12                      | 800 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 12 Mt.                                   | Manuel / Manual           | Manuel / Manual                | 24                 | 35         |
| ATS-1000-12                     | 1000 Lt.                               | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 12 Mt.                                   | Manuel / Manual           | Manuel / Manual                | 24                 | 35         |



# GIRGIRLI MODEL WINDLASS MODEL



| ÜRÜN<br>KODU    | TANK<br>KAPASİTESİ | POMPA ÖZELLİKLERİ   |                  |              |                |                    | KONTROL<br>ÜNİTESİ | KANAT ÖZELLİKLERİ             |                           |                                |                    | <br>HP |
|-----------------|--------------------|---------------------|------------------|--------------|----------------|--------------------|--------------------|-------------------------------|---------------------------|--------------------------------|--------------------|---------------------------------------------------------------------------------------------|
|                 |                    | PUMP SPECIFICATIONS |                  |              |                |                    |                    | BOOM SPECIFICATIONS           |                           |                                |                    |                                                                                             |
| PRODUCT<br>CODE | TANK<br>CAPACITY   | MODEL<br>MODEL      | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE | CONTROL<br>UNIT    | KANAT UZUNLUĞU<br>BOOM LENGTH | AÇMA / KAPAMA<br>ON / OFF | YÜKSEKLİK AYARI<br>HEIGHT ADJ. | ENJEKTÖR<br>NOZZLE |                                                                                             |
| ATH-600-12      | 600 Lt.            | MTS-371 T/S         | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3         | 12 Mt.                        | Manuel / Manual           | Girgır / Windlass              | 24                 | 25                                                                                          |
| ATH-800-12      | 800 Lt.            | MTS-371 T/S         | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3         | 12 Mt.                        | Manuel / Manual           | Girgır / Windlass              | 24                 | 25                                                                                          |
| ATH-1000-12     | 1000 Lt.           | MTS-371 T/S         | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3         | 12 Mt.                        | Manuel / Manual           | Girgır / Windlass              | 24                 | 25                                                                                          |



# TRIO MODEL

## TRIO MODEL



| ÜRÜN<br>KODU<br><br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br><br>TANK<br>CAPACITY | POMPA ÖZELLİKLERİ<br><br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL<br>ÜNİTESİ<br><br>CONTROL<br>UNIT | KANAT ÖZELLİKLERİ<br><br>BOOM SPECIFICATIONS |                           |                                |                    | <br>HP |
|-------------------------------------|--------------------------------------------|----------------------------------------------|------------------|--------------|----------------|--------------------|-------------------------------------------|----------------------------------------------|---------------------------|--------------------------------|--------------------|---------------------------------------------------------------------------------------------|
|                                     |                                            | MODEL<br>MODEL                               | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                           | KANAT UZUNLUĞU<br>BOOM LENGTH                | AÇMA / KAPAMA<br>ON / OFF | YÜKSEKLİK AYARI<br>HEIGHT ADJ. | ENJEKTÖR<br>NOZZLE |                                                                                             |
| ATS-603-12                          | 600 Lt.                                    | MTS-371 T/S                                  | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                                | 12 Mt.                                       | Manuel / Manual           | Manuel / Manual                | 24                 | 40                                                                                          |
| ATS-803-12                          | 800 Lt.                                    | MTS-371 T/S                                  | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                                | 12 Mt.                                       | Manuel / Manual           | Manuel / Manual                | 24                 | 40                                                                                          |
| ATS-1003-12                         | 1000 Lt.                                   | MTS-371 T/S                                  | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                                | 12 Mt.                                       | Manuel / Manual           | Manuel / Manual                | 24                 | 40                                                                                          |

# STANDART HİDROLİK LİFTLİ MODEL

## STANDARD MODEL HYDRAULIC LIFTED



| ÜRÜN KODU<br>PRODUCT CODE | TANK KAPASİTESİ<br>TANK CAPACITY | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL ÜNİTESİ<br>CONTROL UNIT | KANAT ÖZELLİKLERİ<br>BOOM SPECIFICATIONS |                           |                                |                    | HP |
|---------------------------|----------------------------------|------------------------------------------|------------------|--------------|----------------|--------------------|---------------------------------|------------------------------------------|---------------------------|--------------------------------|--------------------|----|
|                           |                                  | MODEL<br>MODEL                           | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                 | KANAT UZUNLUĞU<br>BOOM LENGTH            | AÇMA / KAPAMA<br>ON / OFF | YÜKSEKLİK AYARI<br>HEIGHT ADJ. | ENJEKTÖR<br>NOZZLE |    |
| ATO-603-12                | 600 Lt.                          | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-5                      | 12 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 24                 | 40 |
| ATO-800-12                | 800 Lt.                          | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-5                      | 12 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 24                 | 40 |
| ATO-1000-12               | 1000 Lt.                         | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-5                      | 12 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 24                 | 45 |
| ATO-603-16                | 600 Lt.                          | MTS-496 D                                | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-5                      | 16 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 45 |
| ATO-800-16                | 800 Lt.                          | MTS-496 D                                | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-5                      | 16 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 45 |
| ATO-1000-16               | 1000 Lt.                         | MTS-496 D                                | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-5                      | 16 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 45 |

# HİDROLİK LİFTLİ ANATOLIA MODEL

## HYDRAULIC LIFTED ANATOLIA MODEL



| ÜRÜN<br>KODU<br><br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br><br>TANK<br>CAPACITY | POMPA ÖZELLİKLERİ<br><br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL<br>ÜNİTESİ<br><br>CONTROL<br>UNIT | KANAT ÖZELLİKLERİ<br><br>BOOM SPECIFICATIONS |                           |                                |                    | <br>HP |
|-------------------------------------|--------------------------------------------|----------------------------------------------|------------------|--------------|----------------|--------------------|-------------------------------------------|----------------------------------------------|---------------------------|--------------------------------|--------------------|---------------------------------------------------------------------------------------------|
|                                     |                                            | MODEL<br>MODEL                               | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                           | KANAT UZUNLUĞU<br>BOOM LENGTH                | AÇMA / KAPAMA<br>ON / OFF | YÜKSEKLİK AYARI<br>HEIGHT ADJ. | ENJEKTÖR<br>NOZZLE |                                                                                             |
| ATHA-800-16                         | 800 Lt.                                    | MTS-496-D                                    | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 40                                                                                          |
| ATHA-1000-16                        | 1000 Lt.                                   | MTS-496-D                                    | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 50                                                                                          |
| ATHA-800-16/145                     | 800 Lt.                                    | MTS-145-N                                    | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 50                                                                                          |
| ATHA-1000-16/145                    | 1000 Lt.                                   | MTS-145-N                                    | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 50                                                                                          |
| ATHA-800-18                         | 800 Lt.                                    | MTS-145-N                                    | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 36                 | 50                                                                                          |
| ATHA-1000-18                        | 1000 Lt.                                   | MTS-145-N                                    | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 36                 | 50                                                                                          |



# HİDROLİK LİFTLİ YENİ ANATOLIA MODEL

## HYDRAULIC LIFTED NEW ANATOLIA MODEL



| ÜRÜN<br>KODU<br><br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br><br>TANK<br>CAPACITY | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL<br>ÜNİTESİ<br><br>CONTROL<br>UNIT | KANAT ÖZELLİKLERİ<br>BOOM SPECIFICATIONS |                           |                                |                    | <br>HP |
|-------------------------------------|--------------------------------------------|------------------------------------------|------------------|--------------|----------------|--------------------|-------------------------------------------|------------------------------------------|---------------------------|--------------------------------|--------------------|---------------------------------------------------------------------------------------------|
|                                     |                                            | MODEL<br>MODEL                           | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                           | KANAT UZUNLUĞU<br>BOOM LENGTH            | AÇMA / KAPAMA<br>ON / OFF | YÜKSEKLİK AYARI<br>HEIGHT ADJ. | ENJEKTÖR<br>NOZZLE |                                                                                             |
| ATHA-803-16                         | 800 Lt.                                    | MTS-496-D                                | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 40                                                                                          |
| ATHA-803-16/145                     | 800 Lt.                                    | MTS-145-N                                | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 40                                                                                          |
| ATHA-803-18                         | 800 Lt.                                    | MTS-145-N                                | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 36                 | 40                                                                                          |
| ATHA-1003-16                        | 1000 Lt.                                   | MTS-496-D                                | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 50                                                                                          |
| ATHA-1003-16/145                    | 1000 Lt.                                   | MTS-145-N                                | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 50                                                                                          |
| ATHA-1003-18                        | 1000 Lt.                                   | MTS-145-N                                | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 36                 | 50                                                                                          |
| ATHA-1200-16                        | 1200 Lt.                                   | MTS-496-D                                | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 50                                                                                          |
| ATHA-1200-16/145                    | 1200 Lt.                                   | MTS-145-N                                | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 50                                                                                          |
| ATHA-1200-18                        | 1200 Lt.                                   | MTS-145-N                                | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                   | Manuel / Manual           | Hidrolik / Hydraulic           | 36                 | 50                                                                                          |

# FULL HİDROLİK Lİ MODEL " X " KANAT

## FULL HYDRAULIC MODEL " X " TYPE BOOM



| ÜRÜN KODU<br><br>PRODUCT CODE | TANK KAPASİTESİ<br><br>TANK CAPACITY | POMPA ÖZELLİKLERİ<br><br>PUMP SPECIFICATIONS |                      |                  |                    |                        | KONTROL ÜNİTESİ<br><br>CONTROL UNIT | KANAT ÖZELLİKLERİ<br><br>BOOM SPECIFICATIONS |                               |                                    |                        | <br><br>HP |
|-------------------------------|--------------------------------------|----------------------------------------------|----------------------|------------------|--------------------|------------------------|-------------------------------------|----------------------------------------------|-------------------------------|------------------------------------|------------------------|-------------------------------------------------------------------------------------------------|
|                               |                                      | MODEL<br><br>MODEL                           | PİSTON<br><br>PISTON | DEBİ<br><br>FLOW | DEVİR<br><br>SPEED | BASINÇ<br><br>PRESSURE |                                     | KANAT UZUNLUĞU<br><br>BOOM LENGTH            | AÇMA / KAPAMA<br><br>ON / OFF | YÜKSEKLİK AYARI<br><br>HEIGHT ADJ. | ENJEKTÖR<br><br>NOZZLE |                                                                                                 |
| ATFH-X-600                    | 600 Lt.                              | MTS-145-N                                    | 4                    | 145 Lt.          | 540                | 50 Bar                 | MTS-50 R-5                          | 15 Mt.                                       | Hidrolik / Hydraulic          | Hidrolik / Hydraulic               | 30                     | 65                                                                                              |
| ATFH-X-800                    | 800 Lt.                              | MTS-145-N                                    | 4                    | 145 Lt.          | 540                | 50 Bar                 | MTS-50 R-5                          | 15 Mt.                                       | Hidrolik / Hydraulic          | Hidrolik / Hydraulic               | 30                     | 65                                                                                              |
| ATFH-X-1000                   | 1000 Lt.                             | MTS-145-N                                    | 4                    | 145 Lt.          | 540                | 50 Bar                 | MTS-50 R-5                          | 15 Mt.                                       | Hidrolik / Hydraulic          | Hidrolik / Hydraulic               | 30                     | 70                                                                                              |
| ATFH-X-1200                   | 1200 Lt.                             | MTS-145-N                                    | 4                    | 145 Lt.          | 540                | 50 Bar                 | MTS-50 R-5                          | 15 Mt.                                       | Hidrolik / Hydraulic          | Hidrolik / Hydraulic               | 30                     | 70                                                                                              |
| ATFH-X-600                    | 600 Lt.                              | MTS-145-N                                    | 4                    | 145 Lt.          | 540                | 50 Bar                 | MTS-50 R-5                          | 18 Mt.                                       | Hidrolik / Hydraulic          | Hidrolik / Hydraulic               | 36                     | 65                                                                                              |
| ATFH-X-800                    | 800 Lt.                              | MTS-145-N                                    | 4                    | 145 Lt.          | 540                | 50 Bar                 | MTS-50 R-5                          | 18 Mt.                                       | Hidrolik / Hydraulic          | Hidrolik / Hydraulic               | 36                     | 65                                                                                              |
| ATFH-X-1000                   | 1000 Lt.                             | MTS-145-N                                    | 4                    | 145 Lt.          | 540                | 50 Bar                 | MTS-50 R-5                          | 18 Mt.                                       | Hidrolik / Hydraulic          | Hidrolik / Hydraulic               | 36                     | 70                                                                                              |
| ATFH-X-1200                   | 1200 Lt.                             | MTS-145-N                                    | 4                    | 145 Lt.          | 540                | 50 Bar                 | MTS-50 R-5                          | 18 Mt.                                       | Hidrolik / Hydraulic          | Hidrolik / Hydraulic               | 36                     | 70                                                                                              |

# FULL HİDROLİK MODEL " U " KANAT

## FULL HYDRAULIC MODEL " U " TYPE BOOM



| ÜRÜN<br>KODU<br><br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br><br>TANK<br>CAPACITY | POMPA ÖZELLİKLERİ<br><br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL<br>ÜNİTESİ<br><br>CONTROL<br>UNIT | KANAT ÖZELLİKLERİ<br><br>BOOM SPECIFICATIONS |                           |                                |                    | <br>HP |
|-------------------------------------|--------------------------------------------|----------------------------------------------|------------------|--------------|----------------|--------------------|-------------------------------------------|----------------------------------------------|---------------------------|--------------------------------|--------------------|---------------------------------------------------------------------------------------------|
|                                     |                                            | MODEL<br>MODEL                               | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                           | KANAT UZUNLUĞU<br>BOOM LENGTH                | AÇMA / KAPAMA<br>ON / OFF | YÜKSEKLİK AYARI<br>HEIGHT ADJ. | ENJEKTÖR<br>NOZZLE |                                                                                             |
| ATFH-U-600                          | 600 Lt.                                    | MTS-145-N                                    | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                       | Hidrolik / Hydraulic      | Hidrolik / Hydraulic           | 36                 | 65                                                                                          |
| ATFH-U-800                          | 800 Lt.                                    | MTS-145-N                                    | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                       | Hidrolik / Hydraulic      | Hidrolik / Hydraulic           | 36                 | 65                                                                                          |
| ATFH-U-1000                         | 1000 Lt.                                   | MTS-145-N                                    | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                       | Hidrolik / Hydraulic      | Hidrolik / Hydraulic           | 36                 | 70                                                                                          |
| ATFH-U-1200                         | 1200 Lt.                                   | MTS-145-N                                    | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                       | Hidrolik / Hydraulic      | Hidrolik / Hydraulic           | 36                 | 70                                                                                          |



# ÇEKİLİR TARLA PÜLVERİZATÖRLERİ STANDART MODEL

TRAILED TYPE BOOM SPRAYERS  
STANDARD MODEL



| ÜRÜN<br>KODU    | TANK<br>KAPASİTESİ | POMPA ÖZELLİKLERİ   |                  |              |                |                    | KONTROL<br>ÜNİTESİ | KANAT ÖZELLİKLERİ             |                           |                                |                    |  |
|-----------------|--------------------|---------------------|------------------|--------------|----------------|--------------------|--------------------|-------------------------------|---------------------------|--------------------------------|--------------------|---------------------------------------------------------------------------------------|
|                 |                    | PUMP SPECIFICATIONS |                  |              |                |                    |                    | BOOM SPECIFICATIONS           |                           |                                |                    |                                                                                       |
| PRODUCT<br>CODE | TANK<br>CAPACITY   | MODEL<br>MODEL      | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE | CONTROL<br>UNIT    | KANAT UZUNLUĞU<br>BOOM LENGTH | AÇMA / KAPAMA<br>ON / OFF | YÜKSEKLİK AYARI<br>HEIGHT ADJ. | ENJEKTÖR<br>NOZZLE | HP                                                                                    |
| CTS-600-12      | 600 Lt.            | MTS-496 D           | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-3         | 12 Mt.                        | Manuel / Manual           | Hidrolik / Hydraulic           | 24                 | 45                                                                                    |
| CTS-1000-12     | 1000 Lt.           | MTS-496 D           | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-3         | 12 Mt.                        | Manuel / Manual           | Hidrolik / Hydraulic           | 24                 | 45                                                                                    |
| CTS-1200-12     | 1200 Lt.           | MTS-496 D           | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-3         | 12 Mt.                        | Manuel / Manual           | Hidrolik / Hydraulic           | 24                 | 45                                                                                    |
| CTS-1600-12     | 1600 Lt.           | MTS-496 D           | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-3         | 12 Mt.                        | Manuel / Manual           | Hidrolik / Hydraulic           | 24                 | 45                                                                                    |
| CTS-2000-12     | 2000 Lt.           | MTS-496 D           | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-3         | 12 Mt.                        | Manuel / Manual           | Hidrolik / Hydraulic           | 24                 | 45                                                                                    |

# HİDROLİK MODEL

## HYDRAULIC LIFTED MODEL



| ÜRÜN<br>KODU<br><br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br><br>TANK<br>CAPACITY | POMPA ÖZELLİKLERİ<br><br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL<br>ÜNİTESİ<br><br>CONTROL<br>UNIT | KANAT ÖZELLİKLERİ<br><br>BOOM SPECIFICATIONS |                           |                                |                    | <br>HP |
|-------------------------------------|--------------------------------------------|----------------------------------------------|------------------|--------------|----------------|--------------------|-------------------------------------------|----------------------------------------------|---------------------------|--------------------------------|--------------------|---------------------------------------------------------------------------------------------|
|                                     |                                            | MODEL<br>MODEL                               | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                           | KANAT UZUNLUĞU<br>BOOM LENGTH                | AÇMA / KAPAMA<br>ON / OFF | YÜKSEKLİK AYARI<br>HEIGHT ADJ. | ENJEKTÖR<br>NOZZLE |                                                                                             |
| CYTH-1000                           | 1000 Lt.                                   | MTS-496 D                                    | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 50                                                                                          |
| CYTH-1200                           | 1200 Lt.                                   | MTS-496 D                                    | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 50                                                                                          |
| CYTH-1600                           | 1600 Lt.                                   | MTS-496 D                                    | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 50                                                                                          |
| CYTH-2000                           | 2000 Lt.                                   | MTS-496 D                                    | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 60                                                                                          |
| CYTH-1000-18                        | 1000 Lt.                                   | MTS-145 N                                    | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 36                 | 50                                                                                          |
| CYTH-1200-18                        | 1200 Lt.                                   | MTS-145 N                                    | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 36                 | 50                                                                                          |
| CYTH-1600-18                        | 1600 Lt.                                   | MTS-145 N                                    | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 36                 | 50                                                                                          |
| CYTH-2000-18                        | 2000 Lt.                                   | MTS-145 N                                    | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 36                 | 60                                                                                          |
| CYTH-3000-16                        | 3000 Lt.                                   | MTS-496 D                                    | 4                | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-5                                | 16 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 33                 | 70                                                                                          |
| CYTH-3000-18                        | 3000 Lt.                                   | MTS-145 N                                    | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50 R-5                                | 18 Mt.                                       | Manuel / Manual           | Hidrolik / Hydraulic           | 36                 | 70                                                                                          |

# FULL HİDROLİK MODEL

## FULL HYDRAULIC MODEL



| ÜRÜN KODU<br><small>PRODUCT CODE</small> | TANK KAPASİTESİ<br><small>TANK CAPACITY</small> | POMPA ÖZELLİKLERİ<br><small>PUMP SPECIFICATIONS</small> |                                 |                             |                               |                                   | KONTROL ÜNİTESİ<br><small>CONTROL UNIT</small> | KANAT ÖZELLİKLERİ<br><small>BOOM SPECIFICATIONS</small> |                                          |                                               |                                   | <br>HP |
|------------------------------------------|-------------------------------------------------|---------------------------------------------------------|---------------------------------|-----------------------------|-------------------------------|-----------------------------------|------------------------------------------------|---------------------------------------------------------|------------------------------------------|-----------------------------------------------|-----------------------------------|---------------------------------------------------------------------------------------------|
|                                          |                                                 | MODEL<br><small>MODEL</small>                           | PİSTON<br><small>PISTON</small> | DEBİ<br><small>FLOW</small> | DEVİR<br><small>SPEED</small> | BASINÇ<br><small>PRESSURE</small> |                                                | KANAT UZUNLUĞU<br><small>BOOM LENGTH</small>            | AÇMA / KAPAMA<br><small>ON / OFF</small> | YÜKSEKLİK AYARI<br><small>HEIGHT ADJ.</small> | ENJEKTÖR<br><small>NOZZLE</small> |                                                                                             |
| CYTFH-U-1000                             | 1000 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 18 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 38                                | 65                                                                                          |
| CYTFH-U-1200                             | 1200 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 18 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 38                                | 65                                                                                          |
| CYTFH-U-1600                             | 1600 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 18 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 38                                | 65                                                                                          |
| CYTFH-U-2000                             | 2000 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 18 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 38                                | 65                                                                                          |
| CYTFH-U-3000                             | 3000 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 18 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 38                                | 75                                                                                          |
| CYTFH-X-1000                             | 1000 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 15 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 30                                | 65                                                                                          |
| CYTFH-X-1200                             | 1200 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 15 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 30                                | 65                                                                                          |
| CYTFH-X-1600                             | 1600 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 15 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 30                                | 65                                                                                          |
| CYTFH-X-2000                             | 2000 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 15 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 30                                | 65                                                                                          |
| CYTFH-X-3000                             | 3000 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 15 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 30                                | 75                                                                                          |
| CYTFH-X-1000                             | 1000 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 18 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 36                                | 65                                                                                          |
| CYTFH-X-1200                             | 1200 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 18 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 36                                | 65                                                                                          |
| CYTFH-X-1600                             | 1600 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 18 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 36                                | 65                                                                                          |
| CYTFH-X-2000                             | 2000 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 18 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 36                                | 65                                                                                          |
| CYTFH-X-3000                             | 3000 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | MTS-50 R-5                                     | 18 Mt.                                                  | Hidrolik / Hydraulic                     | Hidrolik / Hydraulic                          | 36                                | 75                                                                                          |



# BAĞ ARASI MODEL

## ARCH MODEL



| ÜRÜN<br>KODU<br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br>TANK<br>CAPACITY | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL<br>ÜNİTESİ<br>CONTROL<br>UNIT | ENJEKTÖR<br>NOZZLE | İŞ GENİŞLİĞİ<br>WORKING LENGHT | HP |
|---------------------------------|----------------------------------------|------------------------------------------|------------------|--------------|----------------|--------------------|---------------------------------------|--------------------|--------------------------------|----|
|                                 |                                        | MODEL<br>MODEL                           | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                       |                    |                                |    |
| ATT-A 400                       | 400 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 8                  | 9-12 Mt.                       | 40 |
| ATT-A 500                       | 500 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 8                  | 9-12 Mt.                       | 40 |
| ATT-A 600                       | 600 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 8                  | 9-12 Mt.                       | 40 |
| ATT-A 800                       | 800 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 8                  | 9-12 Mt.                       | 40 |
| ATT-A 1000                      | 1000 Lt.                               | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 8                  | 9-12 Mt.                       | 40 |

# ASILIR TURBO ATOMİZER STANDART MODEL

MOUNTED TYPE MISTBLOWER  
STANDARD MODEL



| ÜRÜN<br>KODU<br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br>TANK<br>CAPACITY | MODEL<br>MODEL | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |              |                |                    | KONTROL<br>ÜNİTESİ<br>CONTROL<br>UNIT | FAN ÖZELLİKLERİ<br>FAN SPECIFICATIONS |                    |                         |                                  | İŞ GENİŞLİĞİ<br>WORKING LENGHT | HP |
|---------------------------------|----------------------------------------|----------------|------------------------------------------|--------------|----------------|--------------------|---------------------------------------|---------------------------------------|--------------------|-------------------------|----------------------------------|--------------------------------|----|
|                                 |                                        |                | PİSTON<br>PISTON                         | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                       | ÇAPI<br>DİAMETER                      | ENJEKTÖR<br>NOZZLE | AKTARMA<br>TRANSMISSION | HAVA DEBİSİ<br>AIR FLOW<br>(MPH) |                                |    |
| ATT-200-60                      | 200 Lt.                                | MTS-371 P      | 3                                        | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 24'(60 Cm.)                           | 8                  | Kasnak<br>Pulley        | 40.000                           | 10-16 Mt.                      | 40 |
| ATT-300-60                      | 300 Lt.                                | MTS-371 P      | 3                                        | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 24'(60 Cm.)                           | 8                  | Kasnak<br>Pulley        | 40.000                           | 10-16 Mt.                      | 40 |
| ATT-300-75                      | 300 Lt.                                | MTS-496 P      | 4                                        | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-3                            | 28'(75 Cm.)                           | 10                 | Kasnak<br>Pulley        | 54.000                           | 10-16 Mt.                      | 45 |
| ATT-400-60                      | 400 Lt.                                | MTS-371 P      | 3                                        | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 24'(60 Cm.)                           | 8                  | Kasnak<br>Pulley        | 40.000                           | 10-16 Mt.                      | 45 |
| ATT-400-75                      | 400 Lt.                                | MTS-496 P      | 4                                        | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-3                            | 28'(75 Cm.)                           | 10                 | Kasnak<br>Pulley        | 54.000                           | 10-16 Mt.                      | 45 |
| ATT-500-60                      | 500 Lt.                                | MTS-371 P      | 3                                        | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 24'(60 Cm.)                           | 8                  | Kasnak<br>Pulley        | 40.000                           | 10-16 Mt.                      | 45 |
| ATT-500-75                      | 500 Lt.                                | MTS-496 P      | 4                                        | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-3                            | 28'(75 Cm.)                           | 10                 | Kasnak<br>Pulley        | 54.000                           | 10-16 Mt.                      | 45 |
| ATT-600-60                      | 600 Lt.                                | MTS-371 P      | 3                                        | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 24'(60 Cm.)                           | 8                  | Kasnak<br>Pulley        | 40.000                           | 10-16 Mt.                      | 50 |
| ATT-600-75                      | 600 Lt.                                | MTS-496 P      | 4                                        | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-3                            | 28'(75 Cm.)                           | 10                 | Kasnak<br>Pulley        | 54.000                           | 10-16 Mt.                      | 50 |
| ATT-603-60                      | 600 Lt.                                | MTS-371 P      | 3                                        | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 24'(60 Cm.)                           | 8                  | Kasnak<br>Pulley        | 40.000                           | 10-16 Mt.                      | 50 |
| ATT-603-75                      | 600 Lt.                                | MTS-496 P      | 4                                        | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-3                            | 28'(75 Cm.)                           | 10                 | Kasnak<br>Pulley        | 54.000                           | 10-16 Mt.                      | 50 |
| ATT-800-60                      | 800 Lt.                                | MTS-371 P      | 3                                        | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 24'(60 Cm.)                           | 8                  | Kasnak<br>Pulley        | 40.000                           | 10-16 Mt.                      | 50 |
| ATT-800-75                      | 800 Lt.                                | MTS-496 P      | 4                                        | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-3                            | 28'(75 Cm.)                           | 10                 | Kasnak<br>Pulley        | 54.000                           | 10-16 Mt.                      | 50 |
| ATT-1000-60                     | 1000 Lt.                               | MTS-371 P      | 3                                        | 71 Lt.       | 540            | 45 Bar             | MTS-50 R-3                            | 24'(60 Cm.)                           | 8                  | Kasnak<br>Pulley        | 40.000                           | 10-16 Mt.                      | 50 |
| ATT-1000-75                     | 1000 Lt.                               | MTS-496 P      | 4                                        | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-3                            | 28'(75 Cm.)                           | 10                 | Kasnak<br>Pulley        | 54.000                           | 10-16 Mt.                      | 50 |
| ATT-1200-75                     | 1200 Lt.                               | MTS-496 P      | 4                                        | 96 Lt.       | 540            | 50 Bar             | MTS-50 R-3                            | 28'(75 Cm.)                           | 10                 | Kasnak<br>Pulley        | 54.000                           | 10-16 Mt.                      | 50 |

# STANDART ŞANZIMANLI MODEL

## STANDARD MODEL WITH GEARBOX



| ÜRÜN KODU<br>PRODUCT CODE | TANK KAPASİTESİ<br>TANK CAPACITY | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |               |           |             |                 | KONTROL ÜNİTESİ<br>CONTROL UNIT | FAN ÖZELLİKLERİ<br>FAN SPECIFICATIONS |                 |                      |                                          | İŞ GENİŞLİĞİ<br>WORKING LENGHT | HP |
|---------------------------|----------------------------------|------------------------------------------|---------------|-----------|-------------|-----------------|---------------------------------|---------------------------------------|-----------------|----------------------|------------------------------------------|--------------------------------|----|
|                           |                                  | MODEL MODEL                              | PİSTON PISTON | DEBİ FLOW | DEVİR SPEED | BASINÇ PRESSURE |                                 | ÇAPI DIAMETER                         | ENJEKTÖR NOZZLE | AKTARMA TRANSMISSION | HAVA DEBİSİ AIR FLOW (M <sup>3</sup> /S) |                                |    |
| ATT-G-400-60              | 400 Lt.                          | MTS-496 Z                                | 4             | 96 Lt.    | 540         | 50 Bar          | MTS-50 R 3                      | 24'(75 Cm.)                           | 10              | Şanziman Gearbox     | 54.000                                   | 10-16 Mt.                      | 55 |
| ATT-G-400-75              | 400 Lt.                          | MTS-496 Z                                | 4             | 96 Lt.    | 540         | 50 Bar          | MTS-50 R 3                      | 28'(60 Cm.)                           | 8               | Şanziman Gearbox     | 40.000                                   | 10-16 Mt.                      | 45 |
| ATT-G-600-60              | 600 Lt.                          | MTS-496 Z                                | 4             | 96 Lt.    | 540         | 50 Bar          | MTS-50 R 3                      | 24'(60 Cm.)                           | 8               | Şanziman Gearbox     | 40.000                                   | 10-16 Mt.                      | 45 |
| ATT-G-600-75              | 600 Lt.                          | MTS-496 Z                                | 4             | 96 Lt.    | 540         | 50 Bar          | MTS-50 R 3                      | 28'(75 Cm.)                           | 10              | Şanziman Gearbox     | 54.000                                   | 10-16 Mt.                      | 50 |
| ATT-G-600-90              | 600 Lt.                          | MTS-145 N                                | 4             | 145 Lt.   | 540         | 50 Bar          | MTS-50 R 3                      | 36'(90 Cm.)                           | 16              | Şanziman Gearbox     | 66.000                                   | 10-16 Mt.                      | 60 |
| ATT-G-800-60              | 800 Lt.                          | MTS-496 Z                                | 4             | 96 Lt.    | 540         | 50 Bar          | MTS-50 R 3                      | 24'(60 Cm.)                           | 8               | Şanziman Gearbox     | 40.000                                   | 10-16 Mt.                      | 48 |
| ATT-G-800-75              | 800 Lt.                          | MTS-496 Z                                | 4             | 96 Lt.    | 540         | 50 Bar          | MTS-50 R 3                      | 28'(75 Cm.)                           | 10              | Şanziman Gearbox     | 54.000                                   | 10-16 Mt.                      | 50 |
| ATT-G-800-90              | 800 Lt.                          | MTS-145 N                                | 4             | 145 Lt.   | 540         | 50 Bar          | MTS-50 R 3                      | 36'(90 Cm.)                           | 16              | Şanziman Gearbox     | 66.000                                   | 10-16 Mt.                      | 60 |
| ATT-G-1000-60             | 1000 Lt.                         | MTS-496 Z                                | 4             | 96 Lt.    | 540         | 50 Bar          | MTS-50 R 3                      | 24'(60 Cm.)                           | 8               | Şanziman Gearbox     | 40.000                                   | 10-16 Mt.                      | 48 |
| ATT-G-1000-75             | 1000 Lt.                         | MTS-496 Z                                | 4             | 96 Lt.    | 540         | 50 Bar          | MTS-50 R 3                      | 28'(75 Cm.)                           | 10              | Şanziman Gearbox     | 54.000                                   | 10-16 Mt.                      | 50 |
| ATT-G-1000-90             | 1000 Lt.                         | MTS-145 N                                | 4             | 145 Lt.   | 540         | 50 Bar          | MTS-50 R 3                      | 36'(90 Cm.)                           | 16              | Şanziman Gearbox     | 66.000                                   | 10-16 Mt.                      | 60 |
| ATT-G-1200-75             | 1200 Lt.                         | MTS-496 Z                                | 4             | 96 Lt.    | 540         | 50 Bar          | MTS-50 R 3                      | 28'(75 Cm.)                           | 10              | Şanziman Gearbox     | 54.000                                   | 10-16 Mt.                      | 50 |
| ATT-G-1200-90             | 1200 Lt.                         | MTS-145 N                                | 4             | 145 Lt.   | 540         | 50 Bar          | MTS-50 R 3                      | 36'(90 Cm.)                           | 16              | Şanziman Gearbox     | 66.000                                   | 10-16 Mt.                      | 60 |



# ŞANZIMANLI BAĞ MODEL

## V MODEL VINEYARD TYPE WITH GEARBOX



| ÜRÜN KODU<br>PRODUCT CODE | TANK KAPASİTESİ<br>TANK CAPACITY | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL ÜNİTESİ<br>CONTROL UNIT | FAN ÖZELLİKLERİ<br>FAN SPECIFICATIONS |                    |                         |                                   | İŞ GENİŞLİĞİ<br>WORKING LENGHT | HP |
|---------------------------|----------------------------------|------------------------------------------|------------------|--------------|----------------|--------------------|---------------------------------|---------------------------------------|--------------------|-------------------------|-----------------------------------|--------------------------------|----|
|                           |                                  | MODEL<br>MODEL                           | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                 | ÇAPI<br>DIAMETER                      | ENJEKTÖR<br>NOZZLE | AKTARMA<br>TRANSMISSION | HAVA DEBİSİ<br>AIR FLOW<br>(m³/s) |                                |    |
| ATT-V-600                 | 600 Lt.                          | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50-R-3                      | 36'(90 Cm.)                           | 16                 | Şanzıman<br>Gearbox     | 66.000                            | 10-16 Mt.                      | 60 |
| ATT-V-800                 | 800 Lt.                          | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50-R-3                      | 36'(90 Cm.)                           | 16                 | Şanzıman<br>Gearbox     | 66.000                            | 10-16 Mt.                      | 60 |
| ATT-V-1000                | 1000 Lt.                         | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50-R-3                      | 36'(90 Cm.)                           | 16                 | Şanzıman<br>Gearbox     | 66.000                            | 10-16 Mt.                      | 60 |
| ATT-V-1200                | 1200 Lt.                         | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | MTS-50-R-3                      | 36'(90 Cm.)                           | 16                 | Şanzıman<br>Gearbox     | 66.000                            | 10-16 Mt.                      | 60 |

# DÖNER BAŞLI MODEL ATOMİZER

## CANON MODEL ROBOTIC HEAD



| ÜRÜN<br>KODU<br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br>TANK<br>CAPACITY | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL<br>ÜNİTESİ<br>CONTROL<br>UNIT | FAN ÖZELLİKLERİ<br>FAN SPECIFICATIONS |                    |                         |                                   | İŞ GENİŞLİĞİ<br>WORKING LENGHT | HP |
|---------------------------------|----------------------------------------|------------------------------------------|------------------|--------------|----------------|--------------------|---------------------------------------|---------------------------------------|--------------------|-------------------------|-----------------------------------|--------------------------------|----|
|                                 |                                        | MODEL<br>MODEL                           | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                       | MODEL<br>MODEL                        | ENJEKTÖR<br>NOZZLE | AKTARMA<br>TRANSMISSION | HAVA DEBİSİ<br>AIR FLOW<br>(m³/s) |                                |    |
| ATT-DS-600                      | 600 Lt.                                | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                               | Döner başlı<br>Robotic                | 11                 | Şanzıman<br>Gearbox     | 66.000                            | 40-45 Mt.                      | 60 |
| ATT-DS-800                      | 800 Lt.                                | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                               | Döner başlı<br>Robotic                | 11                 | Şanzıman<br>Gearbox     | 66.000                            | 40-45 Mt.                      | 60 |
| ATT-DS-1000                     | 1000 Lt.                               | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                               | Döner başlı<br>Robotic                | 11                 | Şanzıman<br>Gearbox     | 66.000                            | 40-45 Mt.                      | 60 |
| ATT-DS-1200                     | 1200 Lt.                               | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                               | Döner başlı<br>Robotic                | 11                 | Şanzıman<br>Gearbox     | 66.000                            | 40-45 Mt.                      | 60 |

# SALYANGOZ MODEL ATOMİZER

## CANON MODEL FAN



| ÜRÜN KODU<br><small>PRODUCT CODE</small> | TANK KAPASİTESİ<br><small>TANK CAPACITY</small> | POMPA ÖZELLİKLERİ<br><small>PUMP SPECIFICATIONS</small> |                                 |                             |                               |                                   | KONTROL ÜNİTESİ<br><small>CONTROL UNIT</small> | FAN ÖZELLİKLERİ<br><small>FAN SPECIFICATIONS</small> |                                   |                                        |                                             | <br>İŞ GENİŞLİĞİ<br><small>WORKING LENGHT</small> | <br>HP |
|------------------------------------------|-------------------------------------------------|---------------------------------------------------------|---------------------------------|-----------------------------|-------------------------------|-----------------------------------|------------------------------------------------|------------------------------------------------------|-----------------------------------|----------------------------------------|---------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|                                          |                                                 | MODEL<br><small>MODEL</small>                           | PİSTON<br><small>PISTON</small> | DEBİ<br><small>FLOW</small> | DEVİR<br><small>SPEED</small> | BASINÇ<br><small>PRESSURE</small> |                                                | MODEL<br><small>MODEL</small>                        | ENJEKTÖR<br><small>NOZZLE</small> | AKTARMA<br><small>TRANSMISSION</small> | HAVA DEBİSİ<br><small>AIR FLOW (m³)</small> |                                                                                                                                        |                                                                                             |
| ATT-RS-600                               | 600 Lt.                                         | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | Bymatic                                        | Salyangoz<br><small>Canon</small>                    | 15                                | Şanzıman<br><small>Gearbox</small>     | 66.000                                      | 40-45 Mt.                                                                                                                              | 60                                                                                          |
| ATT-RS-800                               | 800 Lt.                                         | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | Bymatic                                        | Salyangoz<br><small>Canon</small>                    | 15                                | Şanzıman<br><small>Gearbox</small>     | 66.000                                      | 40-45 Mt.                                                                                                                              | 60                                                                                          |
| ATT-RS-1000                              | 1000 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | Bymatic                                        | Salyangoz<br><small>Canon</small>                    | 15                                | Şanzıman<br><small>Gearbox</small>     | 66.000                                      | 40-45 Mt.                                                                                                                              | 60                                                                                          |
| ATT-RS-1200                              | 1200 Lt.                                        | MTS-145 N                                               | 4                               | 145 Lt.                     | 540                           | 50 Bar                            | Bymatic                                        | Salyangoz<br><small>Canon</small>                    | 15                                | Şanzıman<br><small>Gearbox</small>     | 66.000                                      | 40-45 Mt.                                                                                                                              | 60                                                                                          |



# ÇEKİLİR TURBO ATOMİZER STANDART MODEL

## TRAILED TYPE MISTBLOWER STANDARD MODEL



| ÜRÜN<br>KODU<br><i>PRODUCT<br/>CODE</i> | TANK<br>KAPASİTESİ<br><i>TANK<br/>CAPACITY</i> | POMPA ÖZELLİKLERİ<br><i>PUMP SPECIFICATIONS</i> |                         |              |                |                    | KONTROL<br>ÜNİTESİ<br><i>CONTROL<br/>UNIT</i> | FAN ÖZELLİKLERİ<br><i>FAN SPECIFICATIONS</i> |                    |                         |                                        | <br>İŞ GENİŞLİĞİ<br><i>WORKING LENGHT</i> | <br>HP |
|-----------------------------------------|------------------------------------------------|-------------------------------------------------|-------------------------|--------------|----------------|--------------------|-----------------------------------------------|----------------------------------------------|--------------------|-------------------------|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
|                                         |                                                | MODEL<br><i>MODEL</i>                           | PİSTON<br><i>PISTON</i> | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                               | ÇAĞI<br>DIAMETER                             | ENJEKTÖR<br>NOZZLE | AKTARMA<br>TRANSMISSION | HAVA DEBİSİ<br>AIR FLOW<br><i>(m³)</i> |                                                                                                                                |                                                                                             |
| CTT-600-60                              | 600 Lt.                                        | MTS-496 Z                                       | 4                       | 96 Lt.       | 540            | 50 Bar             | Bymatic                                       | 24'(90 Cm.)                                  | 8                  | Şanzıman<br>Gearbox     | 40.000                                 | 10-16 Mt.                                                                                                                      | 55                                                                                          |
| CTT-600-75                              | 600 Lt.                                        | MTS-496 Z                                       | 4                       | 96 Lt.       | 540            | 50 Bar             | Bymatic                                       | 28'(75 Cm.)                                  | 10                 | Şanzıman<br>Gearbox     | 54.000                                 | 10-16 Mt.                                                                                                                      | 55                                                                                          |
| CTT-1000-75                             | 1000 Lt.                                       | MTS-496 Z                                       | 4                       | 96 Lt.       | 540            | 50 Bar             | Bymatic                                       | 28'(75 Cm.)                                  | 10                 | Şanzıman<br>Gearbox     | 54.000                                 | 10-16 Mt.                                                                                                                      | 55                                                                                          |
| CTT-1000-90                             | 1000 Lt.                                       | MTS-145 N                                       | 4                       | 145 Lt.      | 540            | 50 Bar             | Bymatic                                       | 36'(90 Cm.)                                  | 16                 | Şanzıman<br>Gearbox     | 66.000                                 | 10-16 Mt.                                                                                                                      | 55                                                                                          |
| CTT-1200-75                             | 1200 Lt.                                       | MTS-496 Z                                       | 4                       | 96 Lt.       | 540            | 50 Bar             | Bymatic                                       | 28'(75 Cm.)                                  | 16                 | Şanzıman<br>Gearbox     | 66.000                                 | 10-16 Mt.                                                                                                                      | 65                                                                                          |
| CTT-1200-90                             | 1200 Lt.                                       | MTS-145 N                                       | 4                       | 145 Lt.      | 540            | 50 Bar             | Bymatic                                       | 36'(90 Cm.)                                  | 10                 | Şanzıman<br>Gearbox     | 54.000                                 | 10-16 Mt.                                                                                                                      | 65                                                                                          |
| CTT-1600-75                             | 1600 Lt.                                       | MTS-496 Z                                       | 4                       | 96 Lt.       | 540            | 50 Bar             | Bymatic                                       | 28'(75 Cm.)                                  | 10                 | Şanzıman<br>Gearbox     | 54.000                                 | 10-16 Mt.                                                                                                                      | 65                                                                                          |
| CTT-1600-90                             | 1600 Lt.                                       | MTS-145 N                                       | 4                       | 145 Lt.      | 540            | 50 Bar             | Bymatic                                       | 36'(90 Cm.)                                  | 16                 | Şanzıman<br>Gearbox     | 66.000                                 | 10-16 Mt.                                                                                                                      | 65                                                                                          |
| CTT-2000-75                             | 2000 Lt.                                       | MTS-496 Z                                       | 4                       | 96 Lt.       | 540            | 50 Bar             | Bymatic                                       | 28'(75 Cm.)                                  | 10                 | Şanzıman<br>Gearbox     | 54.000                                 | 10-16 Mt.                                                                                                                      | 65                                                                                          |
| CTT-2000-90                             | 2000 Lt.                                       | MTS-145 N                                       | 4                       | 145 Lt.      | 540            | 50 Bar             | Bymatic                                       | 36'(90 Cm.)                                  | 16                 | Şanzıman<br>Gearbox     | 66.000                                 | 10-16 Mt.                                                                                                                      | 65                                                                                          |

# KULE MODEL ATOMİZER

## TOWER MODEL FAN



| ÜRÜN<br>KODU<br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br>TANK<br>CAPACITY | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL<br>ÜNİTESİ<br>CONTROL<br>UNITS | FAN ÖZELLİKLERİ<br>FAN SPECIFICATIONS |                    |                         |                                                | İŞ GENİŞLİĞİ<br>WORKING LENGHT | <br>HP |
|---------------------------------|----------------------------------------|------------------------------------------|------------------|--------------|----------------|--------------------|----------------------------------------|---------------------------------------|--------------------|-------------------------|------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------------|
|                                 |                                        | MODEL<br>MODEL                           | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                        | ÇAPI<br>DIAMETER                      | ENJEKTÖR<br>NOZZLE | AKTARMA<br>TRANSMISSION | HAVA DEBİSİ<br>AIR FLOW<br>(M <sup>3</sup> /S) |                                |                                                                                             |
| CTT-K-600                       | 600 Lt.                                | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                                | 36"(90 Cm.)                           | 18                 | Şanziman<br>Gearbox     | 66.000                                         | 10-16 Mt.                      | 60                                                                                          |
| CTT-K-1000                      | 1000 Lt.                               | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                                | 36"(90 Cm.)                           | 18                 | Şanziman<br>Gearbox     | 66.000                                         | 10-16 Mt.                      | 60                                                                                          |
| CTT-K-1200                      | 1200 Lt.                               | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                                | 36"(90 Cm.)                           | 18                 | Şanziman<br>Gearbox     | 66.000                                         | 10-16 Mt.                      | 60                                                                                          |
| CTT-K-1600                      | 1600 Lt.                               | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                                | 36"(90 Cm.)                           | 18                 | Şanziman<br>Gearbox     | 66.000                                         | 10-16 Mt.                      | 60                                                                                          |
| CTT-K-2000                      | 2000 Lt.                               | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                                | 36"(90 Cm.)                           | 18                 | Şanziman<br>Gearbox     | 66.000                                         | 10-16 Mt.                      | 60                                                                                          |

# V MODEL ATOMİZER

## V MODEL FAN



| ÜRÜN<br>KODU<br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br>TANK<br>CAPACITY | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL<br>ÜNİTESİ<br>CONTROL<br>UNIT | FAN ÖZELLİKLERİ<br>FAN SPECIFICATIONS |                    |                         |                                 | İŞ GENİŞLİĞİ<br>WORKING LENGHT | HP |
|---------------------------------|----------------------------------------|------------------------------------------|------------------|--------------|----------------|--------------------|---------------------------------------|---------------------------------------|--------------------|-------------------------|---------------------------------|--------------------------------|----|
|                                 |                                        | MODEL<br>MODEL                           | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                       | ÇAPI<br>DIAMETER                      | ENJEKTÖR<br>NOZZLE | AKTARMA<br>TRANSMISSION | HAVA DEBİSİ<br>AIR FLOW<br>(m³) |                                |    |
| CTT-V-600                       | 600 Lt.                                | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                               | 36"(90 Cm.)                           | 16                 | Şanzıman<br>Gearbox     | 66.000                          | 10-16 Mt.                      | 60 |
| CTT-V-1000                      | 1000 Lt.                               | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                               | 36"(90 Cm.)                           | 16                 | Şanzıman<br>Gearbox     | 66.000                          | 10-16 Mt.                      | 60 |
| CTT-V-1200                      | 1200 Lt.                               | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                               | 36"(90 Cm.)                           | 16                 | Şanzıman<br>Gearbox     | 66.000                          | 10-16 Mt.                      | 60 |
| CTT-V-1600                      | 1600 Lt.                               | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                               | 36"(90 Cm.)                           | 16                 | Şanzıman<br>Gearbox     | 66.000                          | 10-16 Mt.                      | 60 |
| CTT-V-2000                      | 2000 Lt.                               | MTS-145 N                                | 4                | 145 Lt.      | 540            | 50 Bar             | Bymatic                               | 36"(90 Cm.)                           | 16                 | Şanzıman<br>Gearbox     | 66.000                          | 10-16 Mt.                      | 60 |



# DÖNER BAŞLI ATOMİZER

## CANON MODEL ROBOTIC HEAD



| ÜRÜN KODU<br>PRODUCT CODE | TANK KAPASİTESİ<br>TANK CAPACITY | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |               |           |             |                 | KONTROL ÜNİTESİ<br>CONTROL UNIT | FAN ÖZELLİKLERİ<br>FAN SPECIFICATIONS |                 |                      |                             | İŞ GENİŞLİĞİ<br>WORKING LENGTH | HP |
|---------------------------|----------------------------------|------------------------------------------|---------------|-----------|-------------|-----------------|---------------------------------|---------------------------------------|-----------------|----------------------|-----------------------------|--------------------------------|----|
|                           |                                  | MODEL MODEL                              | PİSTON PISTON | DEBİ FLOW | DEVİR SPEED | BASINÇ PRESSURE |                                 | MODEL MODEL                           | ENJEKTÖR NOZZLE | AKTARMA TRANSMISSION | HAVA DEBİSİ AIR FLOW (m³/h) |                                |    |
| CTT-DS-600                | 600 Lt.                          | MTS-145-N                                | 4             | 145 Lt.   | 540         | 50 Bar          | Bymatic                         | Döner başlı Robotic                   | 11              | Şanzıman Gearbox     | 66.000                      | 40-45 Mt.                      | 65 |
| CTT-DS-1000               | 1000 Lt.                         | MTS-145-N                                | 4             | 145 Lt.   | 540         | 50 Bar          | Bymatic                         | Döner başlı Robotic                   | 11              | Şanzıman Gearbox     | 66.000                      | 40-45 Mt.                      | 65 |
| CTT-DS-1200               | 1200 Lt.                         | MTS-145-N                                | 4             | 145 Lt.   | 540         | 50 Bar          | Bymatic                         | Döner başlı Robotic                   | 11              | Şanzıman Gearbox     | 66.000                      | 40-45 Mt.                      | 65 |
| CTT-DS-1600               | 1600 Lt.                         | MTS-145-N                                | 4             | 145 Lt.   | 540         | 50 Bar          | Bymatic                         | Döner başlı Robotic                   | 11              | Şanzıman Gearbox     | 66.000                      | 40-45 Mt.                      | 65 |
| CTT-DS-2000               | 2000 Lt.                         | MTS-145-N                                | 4             | 145 Lt.   | 540         | 50 Bar          | Bymatic                         | Döner başlı Robotic                   | 11              | Şanzıman Gearbox     | 66.000                      | 40-45 Mt.                      | 65 |

# BENZİNLİ & ELEKTRİKLİ PÜLVERİZATÖR

TROLLEY GASOLINE & ELECTRICAL



| ÜRÜN<br>KODU<br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br>TANK<br>CAPACITY | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL<br>ÜNİTESİ<br>CONTROL<br>UNIT | MAKARA<br>ROLLER | HORTUM<br>HOSE | HORTUM TİPİ<br>HOSE TYPE | TABANCA TİPİ<br>PISTOL TYPE | GÜÇ<br>POWER |
|---------------------------------|----------------------------------------|------------------------------------------|------------------|--------------|----------------|--------------------|---------------------------------------|------------------|----------------|--------------------------|-----------------------------|--------------|
|                                 |                                        | MODEL<br>MODEL                           | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                       |                  |                |                          |                             |              |
| BBP-100                         | 100 Lt.                                | MH-22A-1                                 | 3                | 22 Lt.       | 540            | 35 Bar             | MTS-301 R                             | 1                | 25 Mt.         | 90 Bar 10 mm.            | Uzun / Long                 | 5.5 HP       |
| BBP-200                         | 200 Lt.                                | MH-22A-1                                 | 3                | 22 Lt.       | 540            | 35 Bar             | MTS-301 R                             | 1                | 25 Mt.         | 90 Bar 10 mm.            | Uzun / Long                 | 5.5 HP       |
| EBP-100                         | 100 Lt.                                | MH-22A-1                                 | 3                | 22 Lt.       | 540            | 35 Bar             | MTS-301 R                             | 1                | 25 Mt.         | 90 Bar 10 mm.            | Uzun / Long                 | 3.5 KW       |
| EBP-200                         | 200 Lt.                                | MH-22A-1                                 | 3                | 22 Lt.       | 540            | 35 Bar             | MTS-301 R                             | 1                | 25 Mt.         | 90 Bar 10 mm.            | Uzun / Long                 | 3.5 KW       |

# ASILIR BAHÇE PÜLVERİZATÖRÜ STANDART MODEL

MOUNTED TYPE GARDEN SPRAYER  
STANDARD MODEL



| ÜRÜN<br>KODU<br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br>TANK<br>CAPACITY | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL<br>ÜNİTESİ<br>CONTROL<br>UNITS | MAKARA<br>ROLLER | HORTUM<br>HOSE | HORTUM TİPİ<br>HOSE TYPE | TABANCA TİPİ<br>PISTOL TYPE | <br>HP |
|---------------------------------|----------------------------------------|------------------------------------------|------------------|--------------|----------------|--------------------|----------------------------------------|------------------|----------------|--------------------------|-----------------------------|---------------------------------------------------------------------------------------------|
|                                 |                                        | MODEL<br>MODEL                           | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                        |                  |                |                          |                             |                                                                                             |
| ABP-200                         | 200 Lt.                                | MTS-230 N                                | 2                | 30 Lt.       | 540            | 35 Bar             | MTS-401 R                              | 1                | 25             | 90 Bar 10 mm.            | Uzun / Long                 | 25                                                                                          |
| ABP-300                         | 300 Lt.                                | MTS-230 N                                | 2                | 30 Lt.       | 540            | 35 Bar             | MTS-401 R                              | 1                | 25             | 90 Bar 10 mm.            | Uzun / Long                 | 25                                                                                          |
| ABP-400                         | 400 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                              | 1                | 25             | 90 Bar 10 mm.            | Uzun / Long                 | 35                                                                                          |
| ABP-500                         | 500 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                              | 1                | 25             | 90 Bar 10 mm.            | Uzun / Long                 | 35                                                                                          |
| ABP-600                         | 600 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                              | 1                | 25             | 90 Bar 10 mm.            | Uzun / Long                 | 35                                                                                          |
| ABP-800                         | 800 Lt.                                | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                              | 1                | 25             | 90 Bar 10 mm.            | Uzun / Long                 | 35                                                                                          |
| ABP-1000                        | 1000 Lt.                               | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45 Bar             | MTS-401 R                              | 1                | 25             | 90 Bar 10 mm.            | Uzun / Long                 | 35                                                                                          |



# ÇEKİLİR BAHÇE PÜLVERİZATÖRÜ STANDART MODEL

TRAILED TYPE GARDEN SPRAYER  
STANDARD MODEL



| ÜRÜN<br>KODU<br>PRODUCT<br>CODE | TANK<br>KAPASİTESİ<br>TANK<br>CAPACITY | POMPA ÖZELLİKLERİ<br>PUMP SPECIFICATIONS |                  |              |                |                    | KONTROL<br>ÜNİTESİ<br>CONTROL<br>UNIT | MAKARA<br>ROLLER | HORTUM<br>HOSE | HORTUM TİPİ<br>HOSE TYPE | TABANCA TİPİ<br>PISTOL TYPE | HP |
|---------------------------------|----------------------------------------|------------------------------------------|------------------|--------------|----------------|--------------------|---------------------------------------|------------------|----------------|--------------------------|-----------------------------|----|
|                                 |                                        | MODEL<br>MODEL                           | PİSTON<br>PISTON | DEBİ<br>FLOW | DEVİR<br>SPEED | BASINÇ<br>PRESSURE |                                       |                  |                |                          |                             |    |
| CBP-1000                        | 1000 Lt.                               | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45                 | MTS-50 R-3                            | 2                | 2x25           | 90 Bar 10 mm.            | Uzun / Long                 | 45 |
| CBP-1200                        | 1200 Lt.                               | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45                 | MTS-50 R-3                            | 2                | 2x25           | 90 Bar 10 mm.            | Uzun / Long                 | 45 |
| CBP-1600                        | 1600 Lt.                               | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45                 | MTS-50 R-3                            | 2                | 2x25           | 90 Bar 10 mm.            | Uzun / Long                 | 45 |
| CBP-2000                        | 2000 Lt.                               | MTS-371 T/S                              | 3                | 71 Lt.       | 540            | 45                 | MTS-50 R-3                            | 2                | 2x25           | 90 Bar 10 mm.            | Uzun / Long                 | 45 |

# KANAT

## BOOM



## MANUEL KANAT MANUAL BOOM




| ÜRÜN<br>KODU<br>PRODUCT<br>CODE | KANAT<br>UZUNLUĞU<br>BOOM<br>LENGTH | ENJEKTÖR<br>NOZZLE | ENJEKTÖR<br>TİPİ<br>NOZZLE<br>TYPE |
|---------------------------------|-------------------------------------|--------------------|------------------------------------|
| AGR-K 6                         | 6 Mt.                               | 12                 | Plastik / Plastic                  |
| AGR-K 8                         | 8 Mt.                               | 16                 | Plastik / Plastic                  |
| AGR-K 10                        | 10 Mt.                              | 20                 | Plastik / Plastic                  |
| AGR-K 12                        | 12 Mt.                              | 24                 | Plastik / Plastic                  |

## HİDROLİK LİFTLİ KANAT HYDRAULIC LIFTED BOOM




| ÜRÜN<br>KODU<br>PRODUCT<br>CODE | KANAT<br>UZUNLUĞU<br>BOOM<br>LENGTH | ENJEKTÖR<br>NOZZLE | ENJEKTÖR<br>TİPİ<br>NOZZLE<br>TYPE |
|---------------------------------|-------------------------------------|--------------------|------------------------------------|
| AGR-HK 16                       | 16 Mt.                              | 33                 | Plastik / Plastic                  |
| AGR-HK 18                       | 18 Mt.                              | 36                 | Plastik / Plastic                  |

## "X" KANAT "X" TYPE BOOM



| ÜRÜN<br>KODU<br>PRODUCT<br>CODE | KANAT<br>UZUNLUĞU<br>BOOM<br>LENGTH | ENJEKTÖR<br>NOZZLE | ENJEKTÖR<br>TİPİ<br>NOZZLE<br>TYPE |
|---------------------------------|-------------------------------------|--------------------|------------------------------------|
| AGR-X 15                        | 15 Mt.                              | 30                 | Damla Kesicili<br>/ Anti Drip      |
| AGR-X 18                        | 18 Mt.                              | 36                 | Damla Kesicili<br>/ Anti Drip      |

## "U" KANAT "U" TYPE BOOM



| ÜRÜN<br>KODU<br>PRODUCT<br>CODE | KANAT<br>UZUNLUĞU<br>BOOM<br>LENGTH | ENJEKTÖR<br>NOZZLE | ENJEKTÖR<br>TİPİ<br>NOZZLE<br>TYPE |
|---------------------------------|-------------------------------------|--------------------|------------------------------------|
| AGR-U 18                        | 18 Mt.                              | 36                 | Damla Kesicili<br>/ Anti Drip      |

# ENJEKTÖR

## NOZZLES



### DAMLA KESİCİLİ PİRİNÇ ENJEKTÖR

ADJUSTABLE BRASS NOZZLE 2 WAYS  
(WITH ANTIDRIP)



KOD/CODE

50250

### DAMLA KESİCİSİZ PİRİNÇ ENJEKTÖR

ADJUSTABLE BRASS NOZZLE 2 WAYS  
(WITHOUT ANTIDRIP)



KOD/CODE

50300

### PLASTİK DAMLA KESİCİLİ ENJEKTÖR

ADJUSTABLE PLASTIC NOZZLE 2 WAYS  
(WITH ANTIDRIP)



KOD/CODE

50450

### STANDART PLASTİK ENJEKTÖR

STANDARD PLASTIC-HOLLOW CONE NOZZLE



KOD/CODE

50510

### STANDART METAL ENJEKTÖR

SPLIT EYELET NOZZLE-HOLLOW CONE



KOD/CODE

50500

### TEKLİ DAMLA KESİCİLİ ENJEKTÖR

SINGLE WAY PLASTIC BOOM NOZZLE  
(WITH ANTIDRIP)



KOD/CODE

50100

### ÜÇLÜ DAMLA KESİCİLİ ENJEKTÖR

3 WAYS PLASTIC BOOM NOZZLE  
(WITH ANTIDRIP)



KOD/CODE

50200

### DÖRTLÜ DAMLA KESİCİLİ ENJEKTÖR

4 WAYS PLASTIC BOOM NOZZLE  
(WITH ANTIDRIP)



KOD/CODE

50150



# YEDEK PARÇALAR / OTHER PARTS



HARİCİ KARIŞTIRICI / EXTERNAL MIXER



KOD/CODE 100800

TEKLİ MAKARA / HOSE REEL



KOD/CODE 60250

ÇİFTLİ MAKARA / DOUBLE HOSE REEL



KOD/CODE 100900

PEHLİVAN ÇEKİ OKU / STEERING DRAWBAR



KOD/CODE 101000

UZUN TABANCA / LONG PISTOL



KOD/CODE 60100

TETİKLİ UZUN TABANCA / LONG TRIGGER PISTOL



KOD/CODE 60200

TETİKLİ KISA TABANCA / SHORT TRIGGER PISTOL



KOD/CODE 60150

KISA TABANCA / SHORT PISTOL



KOD/CODE 60050









**AGROSE®**  
AGRICULTURAL SPRAYERS



Büyükkayacık OSB Mah. 405. Sok.  
No:8 Selçuklu / Konya / TÜRKİYE  
+90 332 346 02 12  
info@agrose.com  
www.agrose.com